Nuclear Engineering and Design 122 (1990) 453–454
North-Holland

AUTHOR INDEX TO VOLUME 122

Akiyama, M., see Mitsutake 122 (1990) 235
Almenas, K., see Hsu 122 (1990) 175
Aratsu, A.H., see Safwat 122 (1990) 365
Ardron, K.H. and W.M. Bryce, Assessment of horizontal stratification entrainment model in RELAP5/MOD2 by comparison with separate effects experiments 122 (1990) 263
Asaka, H., see Kukita 122 (1990) 255

Babala, D., U. Bredolt and J. Kemppainen, A study of the dynamics of SECURE reactors: Comparison of experiments and computations 122 (1990) 387
Banas, A.O., see Carver 122 (1990) 413
Berthoud, G. ,see Jayanti 122 (1990) 105
Bindner, P.E., see Dimmick 122 (1990) 425
Bredolt, U., see Babala 122 (1990) 387
Bryce, W.M., see Ardron 122 (1990) 263
Bzovey, D., see Chan 122 (1990) 95

Carver, M.B., A. Tahir, J.C. Kiteley, A.P. Banas, D.S. Rowe and W.I. Midvidy, Simulation of the distribution of flow and phases in vertical and horizontal bundles using the the ASSERT-4 subchannel code 122 (1990) 413
Chan, A.M.C. and D. Bzovey, Measurement of mass flux in high temperature high pressure steam water two-phase flow using a combination of Pitot tubes and a gamma densitometer 122 (1990) 95
Chan, P.C. and P.I. Nakayama, A two-dimensional analysis of in-vessel buoyancy driven flows during a degraded core scenario 122 (1990) 273
Chang, J.S. and E.C. Morala, Determination of two-phase interfacial areas by an ultrasonic technique 122 (1990) 143
Chang, S.H., see Lee 122 (1990) 195
Chang, S.H., see Lee 122 (1990) 339
Chatoorgoon, V., see Dimmick 122 (1990) 425
Corradini, M.L., Current aspects of LWR containment loads due to severe reactor accidents 122 (1990) 287

D'Auria, F. and G.M. Galassi, Flowrate and density oscillations during two-phase natural circulation in PWR typical conditions 122 (1990) 209
diMarzo, M., see Hsu 122 (1990) 175
Dimmick, G., P.E. Bindner, V. Chatoorgoon, J.R. Schenk and R. Sollychin, Thermalhydraulics R&D for SLOWPOKE heating reactors 122 (1990) 425
Dix, G.E. and B.S. Shiralkar, BWR transient analysis payoffs from LOCA research 122 (1990) 349

Galassi, G.M., see D'Auria 122 (1990) 209
Gruen, A., PWR optimization for operational flexibility and fuel utilization 122 (1990) 329

Heo, Y.H., see Lim 122 (1990) 157
Hertlein, R., see Weiss 122 (1990) 219
Hirano, M. and T. Watanabe, Numerical study on shock phenomena and void wave propagation in horizontal stratified flow 122 (1990) 53
Hong, S.Y., see Lee 122 (1990) 339
Hsu, Y.Y., Z.Y. Wang, C. Unal, M. diMarzo and K. Almenas, Scaling modeling for small break LOCA test facilities 122 (1990) 175
Husaini, S.M., see Safwat 122 (1990) 365
Hwang, W., see Lim 122 (1990) 157

Ingham, P.J., G.R. McGee and V.S. Krishnan, LOCA assessment experiments in a full-elevation, CANDU-typical test facility 122 (1990) 401
Inoue, A., see Mitsutake 122 (1990) 235
Ishiguro, R., see Sugiyama 122 (1990) 435
Ishii, M., see Lee 122 (1990) 119
Ishikawa, M., M. Kawasaki and M. Yokota, JPDR decommissioning program – Plan and experience 122 (1990) 357

Jayanti, S. and G. Berthoud, High-quality dryout in helical coils 122 (1990) 105

Kataoka, I., see Serizawa 122 (1990) 1
Kawasaki, M., see Ishikawa 122 (1990) 357
Kemppainen, J., see Babala 122 (1990) 387
Kiteley, J.C., see Carver 122 (1990) 413
Krishnan, V.S., see Ingham 122 (1990) 401
Kroeger, P.G., Safety evaluations of accident scenarios in high temperature gas-cooled reactors 122 (1990) 443
Kukita, Y., K. Tasaka, H. Asaka, T. Yonomoto and H. Kumamaru, The effects of

break location on PWR small break LOCA: Experimental study at the ROSA-IV LSTF 122 (1990) 255
Kumamaru, H., see Kukita 122 (1990) 255

Lahey, Jr., R.T., The analysis of phase separation and phase distribution phenomena using two-fluid models 122 (1990) 17
LeCoq, G., M. Metaich and M. Slassi-Sennou, A simple model for the study of dynamic instabilities in steam generators 122 (1990) 41
Lee, G.J. and S.H. Chang, Development of the finite element method of body fit nodalization for mixed convection analysis in rod bundles 122 (1990) 195
Lee, J.H., S.H. Chang, W.H. Yoon and S.Y. Hong, Optimal test interval modeling of the nuclear safety system using the inheent unavailability and human error 122 (1990) 339
Lee, J.Y. and H.C. No, Dynamic scaling method for testing the performance of the water level controller of nuclear steam generators 122 (1990) 313
Lee, J.Y. and H.C. No, Local chemical and thermal-hydraulic analysis of U-tube steam generators 122 (1990) 377
Lee, S.Y. and M. Ishii, Thermally induced flow oscillation in vertical two-phase natural circulation loop 122 (1990) 119
Liao, L.-Y., An analytical method for estimating voiding rate in a flow stagnated core during a constant pressure heatup process 122 (1990) 133
Lim, I.C., K.-S. Sim, Y.H. Heo, B.W. Rhee, W. Hwang, S.K. Oh and H.C. Suk, Development of a 2D conduction code for a finned fuel element analysis 122 (1990) 157

Ma, Y., see Sugiyama 122 (1990) 435
McGee, G.R., see Ingham 122 (1990) 401
Metaich, M., see LeCoq 122 (1990) 41
Midvidy, W.I., see Carver 122 (1990) 413
Mitsutake, T., H. Terasaka, K. Yoshomura, M. Oishi, A. Inoue and M. Akiyama, Subchannel analysis of critical power test, using simulated BWR 8 × 8 fuel assembly 122 (1990) 235
Morala, E.C., see Chang 122 (1990) 143
Moriya, S., see Ushijima 122 (1990) 85

Na, M.G. and H.C. No, Design of model reference adaptive control system for steam generators 122 (1990) 301
Nakayama, P.I., see Chan 122 (1990) 273
No, H.C., see Lee 122 (1990) 313
No, H.C., see Lee 122 (1990) 377
No, H.C., see Na 122 (1990) 301
Oh, S.K., see Lim 122 (1990) 157
Oishi, M., see Mitsutake 122 (1990) 235

Rhee, B.W., see Lim 122 (1990) 157
Rowe, D.S., see Carver 122 (1990) 413

Safwat, H.H., A.H. Aratsu and S.M. Husaini, Systematic methodology for diagnosis of water hammer in LWR power plants 122 (1990) 365
Schenk, J.R., see Dimmick 122 (1990) 425
Serizawa, A. and I. Kataoka, Turbulence suppression in bubbly twophase flow 122 (1990) 1
Shiralkar, B.S., see Dix 122 (1990) 349
Sim, K.-S., see Lim 122 (1990) 157
Slassi-Sennou, M., see LeCoq 122 (1990) 41
Sollychin, R., see Dimmick 122 (1990) 425
Sugawara, S., Droplet deposition and entrainment modeling based on the three-fluid model 122 (1990) 67
Sugiyama, K., Y. Ma and R. Ishiguro, Laminar combined convection heat transfer of liquid sodium flowing through a single horizontal row of cooling rubes in the direction of gravity 122 (1990) 435
Suk, H.C., see Lim 122 (1990) 157

Tahir, A., see Carver 122 (1990) 413
Tanaka, N., see Ushijima 122 (1990) 85
Tasaka, K., see Kukita 122 (1990) 255
Terasaka, H., see Mitsutaka 122 (1990) 235

Unal, C., see Hsu 122 (1990) 175
Ushijima, S., N. Tanaka and S. Moriya, Turbulence measurements and calculations of non-isothermal coaxial jets 122 (1990) 85

Wang, Z.Y., see Hsu 122 (1990) 175
Watanabe, T., see Hirano 122 (1990) 53
Watzinger, H., see Weiss 122 (1990) 219
Weiss, P., H. Watzinger and R. Hertlein, UPTF experiment: A synopsis of full scale test results 122 (1990) 219

Yokota, M., see Ishikawa 122 (1990) 357
Yonomoto, T., see Kukita 122 (1990) 255
Yoon, W.H., see Lee 122 (1990) 339
Yoshomua, K., see Mitsutake 122 (1990) 235